

SEQUENCE LISTING

<110> CARDY, Donald Leonard Nicholas
ALLEN, Gerald John

<120> Lateral Flow Assay Device and Method

<130> 056222-5068-US

<140> US 10/521,111

<141> 2005-01-12

<150> PCT/GB2003/003059

<151> 2003-07-14

<150> GB 0220452.7

<151> 2002-09-04

<150> GB 0216162.8

<151> 2002-07-12

<160> 57

<170> PatentIn version 3.3

<210> 1

<211> 34

<212> DNA

<213> Escherichia coli

<400> 1

gcatttagct accgggcagt gccattttcg aaat

34

<210> 2

<211> 95

<212> DNA

<213> Escherichia coli

<220>

<221> misc_feature

<222> (69)..(70)

<223> octanediol group connects residues 69 and 70

<220>

<221> misc_feature

<222> (95)..(95)

<223> 3' phosphorylated

<400> 2

tcgtcttcg gtctctctc tcaagcctca gcgctctctc tccctatagt gagtcgtatt

60

aatttcgaag gcatgacaac ccgaacacca gtgat

95

<210> 3

<211> 21
 <212> DNA
 <213> Escherichia coli

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3' PCR-block

<400> 3
 gcgtccactc cggtcctctc g 21

<210> 4
 <211> 30
 <212> DNA
 <213> Escherichia coli

<220>
 <221> misc_feature
 <222> (30)..(30)
 <223> 3' PCR block

<400> 4
 gcttagatgc tttcagcact tatctcttcc 30

<210> 5
 <211> 111
 <212> DNA
 <213> Escherichia coli

<220>
 <221> misc_feature
 <222> (76)..(77)
 <223> octanediol group connects residues 76 and 77

<220>
 <221> misc_feature
 <222> (111)..(111)
 <223> 3' phosphorylated

<400> 5
 tgcctgcttg tctgcgttct ggatatacc cgagttctcg cttcctatag tgagtcgtat 60
 taatttctcg tcttcgggtc tctcctctca agcctcagcg ctctctctcc c 111

<210> 6
 <211> 12
 <212> DNA
 <213> Escherichia coli

```
<220>  
<221> misc_feature  
<222> (1)..(1)  
<223> 5' alkaline phosphatase labelled  
  
<400> 6  
ggatatcacc cg  
  
<210> 7  
<211> 25  
<212> DNA  
<213> Escherichia coli  
  
<220>  
<221> misc_feature  
<222> (1)..(1)  
<223> 5' biotin labelled  
  
<400> 7  
tctgctgcct gcttgctctgc gttct  
  
<210> 8  
<211> 34  
<212> DNA  
<213> Escherichia coli  
  
<400> 8  
gcatttagct accgggcagt gccattttcg aaat  
  
<210> 9  
<211> 95  
<212> DNA  
<213> Escherichia coli  
  
<220>  
<221> misc_feature  
<222> (69)..(70)  
<223> octanediol group connects residues 69 and 70  
  
<220>  
<221> misc_feature  
<222> (95)..(95)  
<223> 3' phosphorylated  
  
<400> 9  
tcgtcttccg gtctctctc tcaagcctca gcgctctctc tccctatagt gagtcgtatt  
  
aatctcgaag gcatgacaac ccgaacacca gtgat  
  
<210> 10  
<211> 21
```

<212> DNA
 <213> Escherichia coli

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3' PCR block

<400> 10
 gcgtccactc cggtcctctc g 21

<210> 11
 <211> 30
 <212> DNA
 <213> Escherichia coli

<220>
 <221> misc_feature
 <222> (30)..(30)
 <223> 3' PCR block

<400> 11
 gcttagatgc tttcagcact tatctcttcc 30

<210> 12
 <211> 111
 <212> DNA
 <213> Escherichia coli

<220>
 <221> misc_feature
 <222> (76)..(77)
 <223> octanediol group connects residues 76 and 77

<220>
 <221> misc_feature
 <222> (111)..(111)
 <223> 3' phosphorylated

<400> 12
 tgccctgcttg tctgcgttct ggatatacc cgagttctcg cttcctatag tgagtcgtat 60
 taatttctcg tcttcgggtc tctcctctca agcctcagcg ctctctctcc c 111

<210> 13
 <211> 12
 <212> DNA
 <213> Escherichia coli

<220>

<221> misc_feature
 <222> (12)..(12)
 <223> 3' horse radish peroxidase labelled

 <400> 13
 ggatatacacc cg 12

 <210> 14
 <211> 25
 <212> DNA
 <213> Escherichia coli

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5' biotin labelled

 <400> 14
 tctgctgcct gcttgtctgc gttct 25

 <210> 15
 <211> 34
 <212> DNA
 <213> Escherichia coli

 <400> 15
 gcatttagct accgggcagt gccattttcg aaat 34

 <210> 16
 <211> 95
 <212> DNA
 <213> Escherichia coli

 <220>
 <221> misc_feature
 <222> (69)..(70)
 <223> octanediol group connects residues 69 and 70

 <220>
 <221> misc_feature
 <222> (95)..(95)
 <223> 3' phosphorylated

 <400> 16
 tcgtcttccg gtctctcctc tcaagcctca gcgctctctc tccctatagt gagtcgtatt 60

 aatttcgaag gcatgacaac ccgaacacca gtgat 95

 <210> 17
 <211> 44
 <212> DNA

<213> Artificial Sequence

<220>

<223> DNA homologue of SMART RNA1 amplicon

<400> 17

gggagagaga gcgctgaggc ttgagaggag agaccggaag acga

44

<210> 18

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> 5' biotinylated capture probe for SMART RNA1 amplicon

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5' biotin labelled

<400> 18

tctgctcgtc ttccggtctc tcctc

25

<210> 19

<211> 111

<212> DNA

<213> Escherichia coli

<220>

<221> misc_feature

<222> (76)..(77)

<223> octanediol group connects residues 76 and 77

<220>

<221> misc_feature

<222> (111)..(111)

<223> 3' phosphorylated

<400> 19

tgccctgcttg tctgcgttct ggatatacacc cgagttctcg ctctctatag tgagtcgtat

60

taattttctcg tcttccggtc tctctctca agcctcagcg ctctctctcc c

111

<210> 20

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> 3' DNP labelled detection probe for SMART RNA1 amplicon

```

<220>
<221> misc_feature
<222> (20)..(20)
<223> 3' dinitrophenol labelled

<400> 20
gcctcagcgc tctctctccc                                20

<210> 21
<211> 45
<212> DNA
<213> Escherichia coli

<400> 21
ggaagcgaga actcgggtga tatccagaac gcagacaagc aggca      45

<210> 22
<211> 25
<212> DNA
<213> Escherichia coli

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' biotin labelled

<400> 22
tctgctgcct gcttgtctgc gttct                            25

<210> 23
<211> 20
<212> DNA
<213> Escherichia coli

<220>
<221> misc_feature
<222> (20)..(20)
<223> 3' dinitrophenol labelled

<400> 23
tcacccgagt tctcgcttcc                                20

<210> 24
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> extension probe for RNA1 generation

```

<400> 24
 gcctggcacc attaaagaaa atatcatctt tttcgaaat 39

<210> 25
 <211> 111
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> template probe for RNA1 generation

<220>
 <221> misc_feature
 <222> (76)..(77)
 <223> hexaethyleneglycol group connects residues 76 and 77

<220>
 <221> misc_feature
 <222> (111)..(111)
 <223> 3' phosphorylated

<400> 25
 tgctgtcttg tctgcgttct ggatatacacc cgagttctcg cttcctatag tgagtcgtat 60
 taatttctcg tcttcgggtc tctcctctca agcctcagcg ctctctctcc c 111

<210> 26
 <211> 121
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetic target for RNA1 generation

<400> 26
 cctcctctag ttggcatgct ttgatgacgc ttctgtatct atattcatca taggaaacac 60
 caaagatgat attttcttta atggtgccag gcataatcca ggaaaactga gaacagaatg 120
 a 121

<210> 27
 <211> 46
 <212> DNA
 <213> Chlamydia trachomatis

<400> 27
 aattctaata cgactcacta tagggagcac atagactctc ccttaa 46

<210> 28
 <211> 19
 <212> DNA

<213> Chlamydia trachomatis

<400> 28

agcaattggt tgcgacgatt

19

<210> 29

<211> 19

<212> DNA

<213> Chlamydia trachomatis

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5' biotin labelled

<400> 29

ggcgggaaggg ttagtaatg

19

<210> 30

<211> 25

<212> DNA

<213> Chlamydia trachomatis

<220>

<221> misc_feature

<222> (25)..(25)

<223> 3' horse radish peroxidase labelled

<400> 30

gtggcgatat ttgggcatcc gagta

25

<210> 31

<211> 99

<212> DNA

<213> Salmonella typhimurium

<220>

<221> misc_feature

<222> (69)..(70)

<223> octanediol group connects residues 69 and 70

<220>

<221> misc_feature

<222> (99)..(99)

<223> 3' PCR block

<400> 31

tctgtcttcg gtctctctc tcaagcctca gcgctctctc tccctatagt gagtcgtatt

60

aatttcgaat ccccgctgaa agtactttac aaccggaag

99

```

<210> 32
<211> 28
<212> DNA
<213> Salmonella typhimurium

<400> 32
tattaaccac aacaccttcc ttcgaaat 28

<210> 33
<211> 20
<212> DNA
<213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (20)..(20)
<223> 3' PCR block

<400> 33
gtaacgtcaa ttgctgcggt 20

<210> 34
<211> 20
<212> DNA
<213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (20)..(20)
<223> 3' PCR block

<400> 34
gccttcttca tacacgcggc 20

<210> 35
<211> 85
<212> DNA
<213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (70)..(71)
<223> octanediol group connects residues 70 and 71

<400> 35
tgcttgcttg tctgcgttct ggatatacacc cgagctctct ctccctatag tgagtcgtat 60
taatttcgaa ctctctctcaa gcctc 85

```

<210> 36
 <211> 22
 <212> DNA
 <213> Salmonella typhimurium

<400> 36
 tcgtcttcgcg gtctttcgaa at 22

<210> 37
 <211> 15
 <212> DNA
 <213> Salmonella typhimurium

<400> 37
 agcgctctct ctccc 15

<210> 38
 <211> 25
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5' biotin labelled

<400> 38
 tctgctgcct gcttgtctgc gttct 25

<210> 39
 <211> 12
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> 3' horse radish peroxidase labelled

<400> 39
 ggatattcacc cg 12

<210> 40
 <211> 99
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (69)..(70)

<223> octanediol group connects residues 69 and 70

<220>

<221> misc_feature

<222> (99)..(99)

<223> 3' PCR block

<400> 40

tcgtcttccg gtctctcctc tcaagcctca gcgctctctc tccctatagt gagtcgtatt 60

aatttcgaat ccccgctgaa agtactttac aacccgaag 99

<210> 41

<211> 28

<212> DNA

<213> Salmonella typhimurium

<400> 41

tattaaccac aacaccttcc ttcgaaat 28

<210> 42

<211> 20

<212> DNA

<213> Salmonella typhimurium

<220>

<221> misc_feature

<222> (20)..(20)

<223> 3' PCR block

<400> 42

gtaacgtcaa ttgctgcggt 20

<210> 43

<211> 20

<212> DNA

<213> Salmonella typhimurium

<220>

<221> misc_feature

<222> (20)..(20)

<223> 3' PCR block

<400> 43

gccttcttca tacacgcggc 20

<210> 44

<211> 85

<212> DNA

<213> Salmonella typhimurium

```

<220>
<221> misc_feature
<222> (70)..(71)
<223> octanediol group connects residues 70 and 71

<400> 44
tgctgtgttg tctgcgttct ggatatacacc cgagctctct ctccctatag tgagtcgtat      60
taatttcgaa ctctctctcaa gcctc                                           85

<210> 45
<211> 22
<212> DNA
<213> Salmonella typhimurium

<400> 45
tcgtcttccg gtctttcgaa at                                              22

<210> 46
<211> 15
<212> DNA
<213> Salmonella typhimurium

<400> 46
agcgctctct ctccc                                                       15

<210> 47
<211> 25
<212> DNA
<213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' biotin labelled

<400> 47
tctgctgcct gcttgtctgc gttct                                           25

<210> 48
<211> 12
<212> DNA
<213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (12)..(12)
<223> 3' horse radish peroxidase labelled

<400> 48

```

ggatatcacc cg

12

<210> 49
 <211> 99
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (69)..(70)
 <223> octanediol group connects residues 69 and 70

<220>
 <221> misc_feature
 <222> (99)..(99)
 <223> 3' PCR block

<400> 49
 tcgtcttccg gtctctctc tcaagcctca gcgctctctc tccctatagt gagtcgtatt 60
 aatttcgaat ccccgctgaa agtactttac aaccggaag 99

<210> 50
 <211> 28
 <212> DNA
 <213> Salmonella typhimurium

<400> 50
 tattaaccac aacaccttcc ttcgaaat 28

<210> 51
 <211> 20
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> 3' PCR block

<400> 51
 gtaacgtcaa ttgctgcggt 20

<210> 52
 <211> 20
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature

<222> (20)..(20)
 <223> 3' PCR block

<400> 52
 gcctttcttca tacacgcggc 20

<210> 53
 <211> 85
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (70)..(71)
 <223> octanediol group connects residues 70 and 71

<220>
 <221> misc_feature
 <222> (85)..(85)
 <223> 3' PCR block

<400> 53
 tgctgtcttg tctgcgttct ggatatacacc cgagctctct ctccctatag tgagtcgtat 60
 taatttcgaa ctctcttcaa gcctc 85

<210> 54
 <211> 22
 <212> DNA
 <213> Salmonella typhimurium

<400> 54
 tcgtcttccg gtctttcgaa at 22

<210> 55
 <211> 15
 <212> DNA
 <213> Salmonella typhimurium

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> 3' PCR block

<400> 55
 agcgctctct ctccc 15

<210> 56
 <211> 25
 <212> DNA
 <213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' biotin labelled

<400> 56
tctgctgcct gcttgtctgc gttct

25

<210> 57
<211> 12
<212> DNA
<213> Salmonella typhimurium

<220>
<221> misc_feature
<222> (12)..(12)
<223> 3' horse radish peroxidase labelled

<400> 57
ggatatcacc cg

12